U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE OF The GISTIS

OMB No. 1660-0008

Important: Read the instructions on pages 1-9.

Expiration Date: July 31, 2015

SECTION A PROPERTY INFORMATION FOR I							SURANCE COMPANY USE		
1507 TSS00300							lümber;		
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 440 SOUTH MASHTA DRIVE							y NAIC Number		
City KEY BISCAYNE					le 33149				
A3. Property Description (Lot and Block Numbers. Tax Parcel Number, Legal Description, etc.) LOT 17 OF SMUGGLERS COVE PLAT BOOK 78 PAGE 83									
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL A5. Latitude/Longitude: Lat. 25°40′55.46″N Long. 80°10′16.29″W Horizontal Datum: A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 1B A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s) 405 sq ft b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1 0 foot above adjacent grade 2 c) Total net area of flood openings? Yes No Horizontal Datum: NAD 1927 NAD 1983 A9. For a building with an attached garage: a) Square footage of attached garage b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade 2 c) Total net area of flood openings? Yes No d) Engineered flood openings? Yes No									
	SEC	TION B – FLOOD	INSU	RANCE RATE MAP (TIRM) INFORMATION	N			
B1. NFIP Community Name VILLAGE OF KEY BISCAY		lumber		ounty Name I-DADE		B3. Stat			
B4. Map/Panel Number 12086C0491	B5. Suffix L	86, FIRM Index D 09/11/2009	Date	B7. FIRM Panel Effective/Revised Date 09/11/2009	B8. Flood Zone(s) AE		Base Flood Elevation(s) (Zone AO, use base flood depth) +10.0'		
☐ FIS Profile ☐ FIRM ☐ Community Determined ☐ Other/Source: B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☐ NAVD 1988 ☐ Other/Source: B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☐ No Designation Date: N/A ☐ CBRS ☐ OPA									
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)									
C1. Building elevations are based on. Construction Drawings* Building Under Construction* Finished Construction A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–b below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: MI-14 Vertical Datum: N.G.V.D. 1929 Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1929 NAVD 1988 Other/Source: Datum used for building elevations must be the same as that used for the BFE. Check the measurement used.									
a) Top of bottom floor (in	actudina baseme	nt crawlenace or e	nelosuu	e floor)	5.16	ine mea	□ meters		
b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m	r floor horizontal structu of slab) nachinery or equi	oral member (V Zone	es only)		14.59 N/A 3.34 14.0	⊠ feet ☐ feet ☐ feet ☐ feet	☐ meters ☐ meters ☐ meters ☐ meters		
(Describe type of equition of the control of the co	hed) grade next shed) grade next	to building (LAG) to building (HAG)	s, includ	<u> </u>	5. <u>0</u> 5. <u>2</u> N/A	⊠ feet ⊠ feet □ feet	meters meters meters		
	SECTIO	N D ~ SURVEYO	R, EN	GINEER, OR ARCHIT	ECT CERTIFICATI	ON			
This certification is to be signiformation. I certify that the tunderstand that any false. Check here if commen. Check here if attachmen.	information on t statement may b ts are provided o	his Certificate repres e punishable by fine	sents m or impo Were	y best efforts to interpre asonment under 18 U.S. atitude and longitude in	the data available Code, Section 1001.		PLACE SEAL		
Certifier's Name OSCAR EMILIO BAEZ CUSIDO License Number 5034							HERE		
Title REGISTERED SURVEYOR Company Name 360° SURVEYING & MAPPING, LLC									
Address 2000 SW 83RD C	ET.	City MIAMI			IP Code 33155		106/20/2013		
Signature W.F.		Date 06/24/2013		Telephone 30	5-265-1002	- 1	06/64/642		

	igu z		
IMPORTANT: In these spaces, c	om Section A.	FOR INSURANCE COMPANY USE	
Building Street Address (including Apt. 440 SOUTH MASHTA DRIVE	and Box No.	Policy Number;	
City KEY BISCAYNE	State FL	ZIP Code 33149	Company NAIC Number:
SECTION	D – SURVEYOR, ENGINEER, OR ARC	HITECT CERTIFICATION	N (CONTINUED)
Copy both sides of this Elevation Certif	ficate for (1) community official, (2) insurance	agent/company, and (3) build	ding owner.
	PE OF EQUIPMENT = A/C UNIT, ON FIRST F JDE AND LONGITUDE FROM GOOGLE EAR VATION = 6,10'		
Signature	Dat	te 06/24/2013	Element de la companya de la company
SECTION E - BUILDING ELE	VATION INFORMATION (SURVEY NOT	REQUIRED) FOR ZONE	AO AND ZONE A (WITHOUT BFE)
 E1. Provide elevation information for grade (HAG) and the lowest adja a) Top of bottom floor (including to b) Top of bottom C2.b in the diagrams) E3. Attached garage (top of slab) is E4. Top of platform of machinery and E5. Zone AO only: If no flood depth is 	basement, crawlspace, or enclosure) is	feet meters met	ion is above or below the highest adjacent ers above or below the HAG. ers above or below the LAG. es 8–9 of Instructions), the next higher floor low the HAG. above or below the HAG.
· · · · · · · · · · · · · · · · · · ·	Unknown. The local official must certify this		
	F - PROPERTY OWNER (OR OWNER)		
	ted representative who completes Sections A, nents in Sections A, B, and E are correct to the		it a FEMA-issued or community-issued BFE)
Property Owner's or Owner's Authorize	d Representative's Name		
	d Representative's Name	S	state ZIP Code
ddress			tate ZIP Code
ddress	City		Account of the babbins.
ddress	City		elephone
Address	City	Υ	Account of the babbins.
e local official who is authorized by law this Elevation Certificate. Complete the is authorized by law to certify e	City	PRMATION (OPTIONAL) odplain management ordinan neasurement used in Items G neen signed and sealed by a d date of the elevation data in	ce can complete Sections A, B, C (or E), and 8-G10. In Puerto Rico only, enter meters. licensed surveyor, engineer, or architect when the Comments area below.)
Address Signature Comments The local official who is authorized by law this Elevation Certificate. Complete the is authorized by law to certify e authorized by law to certify e authorized by law to certify e authorized. The following information (Items	SECTION G – COMMUNITY INFO or ordinance to administer the community's floo applicable item(s) and sign below. Check the m vas taken from other documentation that has be elevation information. (Indicate the source and dissection E for a building located in Zone A (w	PRMATION (OPTIONAL) odplain management ordinant neasurement used in Items Govern signed and sealed by a didate of the elevation data in ithout a FEMA-issued or contain management purposes	ce can complete Sections A, B, C (or E), and 0.8–G10. In Puerto Rico only, enter meters. licensed surveyor, engineer, or architect whom the Comments area below.)
Address Signature Comments Le local official who is authorized by law this Elevation Certificate. Complete the is authorized by law to certify e is authorized by law to certif	SECTION G – COMMUNITY INFO or ordinance to administer the community's flor applicable item(s) and sign below. Check the m ras taken from other documentation that has b elevation information. (Indicate the source and d Section E for a building located in Zone A (w as G4–G10) is provided for community floodpla G5. Date Permit Issued. New Construction. Substantial cluding basement) of the building.	PRMATION (OPTIONAL) odplain management ordinan neasurement used in Items G neen signed and sealed by a d date of the elevation data in ithout a FEMA-issued or cor ain management purposes G6. Date Certificate C	Check here if attachment ce can complete Sections A, B, C (or E), and a 8-G10. In Puerto Rico only, enter meters. Iticensed surveyor, engineer, or architect when the Comments area below.) Inmunity-issued BFE) or Zone AO. If Compliance/Occupancy Issued Datum Datum
e local official who is authorized by law this Elevation Certificate. Complete the is authorized by law to certify e is authorized by law to c	SECTION G – COMMUNITY INFO or ordinance to administer the community's floo applicable item(s) and sign below. Check the m ras taken from other documentation that has be elevation information. (Indicate the source and discretion E for a building located in Zone A (w as G4–G10) is provided for community floodpla G5. Date Permit Issued New Construction. Substantial cluding basement) of the building.	PRMATION (OPTIONAL) odplain management ordinan neasurement used in Items G neen signed and sealed by a d date of the elevation data in ithout a FEMA-issued or cor ain management purposes G6. Date Certificate C Improvement feet meters	Check here if attachment ce can complete Sections A, B, C (or E), and its 8-G10. In Puerto Rico only, enter meters. Iticensed surveyor, engineer, or architect when the Comments area below.) Inmunity-issued BFE) or Zone AO. If Compliance/Occupancy Issued Datum Datum
e local official who is authorized by law this Elevation Certificate. Complete the is authorized by law this Elevation Certificate. Complete the is authorized by law to certify e is authorized by law to certify e in the following information (Item 14. Permit Number 15. Elevation of as-built lowest floor (inc. 15. Elevation of as-built lowest floor (inc. 16. BFE or (in Zone AO) depth of flooding to Community's design flood elevation ocal Official's Name	SECTION G – COMMUNITY INFO or ordinance to administer the community's flor applicable item(s) and sign below. Check the m ras taken from other documentation that has b elevation information. (Indicate the source and d Section E for a building located in Zone A (w as G4–G10) is provided for community floodpla G5. Date Permit Issued. New Construction	PRMATION (OPTIONAL) odplain management ordinant easurement used in Items Green signed and sealed by a didate of the elevation data in Ithout a FEMA-issued or contain management purposes G6. Date Certificate Comprovement feet meters feet meters	Check here if attachment ce can complete Sections A, B, C (or E), and its 8-G10. In Puerto Rico only, enter meters. Iticensed surveyor, engineer, or architect when the Comments area below.) Inmunity-issued BFE) or Zone AO. If Compliance/Occupancy Issued Datum Datum
Address Signature Comments De local official who is authorized by law this Elevation Certificate. Complete the state of the information in Section C wis authorized by law to certify etc. A community official completed. The following information (Item of the complete of the complet	SECTION G – COMMUNITY INFO or ordinance to administer the community's floor applicable item(s) and sign below. Check the mass taken from other documentation that has belevation information. (Indicate the source and disection E for a building located in Zone A (was G4–G10) is provided for community floodplates. G5. Date Permit Issued. New Construction	PRMATION (OPTIONAL) podplain management ordinant reasurement used in Items Green signed and sealed by a didate of the elevation data in Ithout a FEMA-issued or contain management purposes G6. Date Certificate Comprovement feet meters feet meters fiet meters	Check here if attachment ce can complete Sections A, B, C (or E), and the Section of the Complete Sections A, B, C (or E), and the Comments area below.) It comments area below.) If Compliance/Occupancy Issued Datum Datum Datum
this Elevation Certificate. Complete the The information in Section C w is authorized by law to certify e A community official completed	SECTION G – COMMUNITY INFO or ordinance to administer the community's floor applicable item(s) and sign below. Check the mass taken from other documentation that has belevation information. (Indicate the source and disection E for a building located in Zone A (was G4–G10) is provided for community floodplates. G5. Date Permit Issued. New Construction	PRMATION (OPTIONAL) popplain management ordinant reasurement used in Items Green signed and sealed by a didate of the elevation data in ithout a FEMA-issued or corain management purposes G6. Date Certificate Comprovement feet meters feet meters fiet meters Title Telephone	Check here if attachment ce can complete Sections A, B, C (or E), and 0 8-G10. In Puerto Rico only, enter meters. licensed surveyor, engineer, or architect whom the Comments area below.) Inmunity-issued BFE) or Zone AO. If Compliance/Occupancy Issued Datum Datum

ELEVATION CERTIFICATE, page 3

Building Photographs

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or 8ldg. No.) or P.O. Route and Box No.

440 SOUTH MASHTA DRIVE

City KEY BISCAYNE

State FL ZIP Code 33149

Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

05/29/2013

FRONT



RIGHT SIDE VIEW



ELEVATION CERTIFICATE, page 4

Building Photographs Continuation Page

IMPORTANT: In these spaces, copy the correspond	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bld 440 SOUTH MASHTA DRIVE	Policy Number:		
City KEY BISCAYNE	State FL	ZIP Code 33149	Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.

05/29/2013



REAR VIEW

